

mahindra
TRUCK AND BUS

HIGHER MILEAGE, HYVA BODY,** PROVEN AGGREGATES FOR
MORE UPTIME, MORE PROFITS.



mahindra
BLAZO X TIPPER RANGE

**HYVA Body only on BLAZO X 28 16 Box. For more details of this guarantee, visit www.mahindratruckandbus.com

mahindra
BLAZO

TIPPERS BUILT FOR ANY CONDITION.

No matter how harsh or rugged the conditions be, the design and construction of the Mahindra BLAZO X Range of Tippers are designed to brave them all. The higher body capacity of these machines guarantees greater productivity without compromising on fuel efficiency. In addition to other superior features, these Tippers tackle mining and construction applications easier than ever.

THE CRDe ADVANTAGE



THE SMART WAY TO SAVE FUEL



THE HEART OF SMART



KNOWN AND TRUSTED ENGINE IN THE NEW ERA



- Higher FLAT Torque range leading to lesser gear shifts
- iMAXX the most accurate integrated telematics with 3 YEARS free subscription
- No change in oil drain intervals, lowers maintenance cost further
- Get triple the peace of mind with MCOVER, MAASHRAY and MTRUST
- Availability of spare parts and ease of servicing
- It's a true upgrade from BS4 as 90% parts are the same
- 6 YEARS/ 6 Lakh km (6000 Hours for Tippers) Transferable Warranty*

*For more details of this guarantee, visit www.mahindratruckandbus.com.




UNDISPUTED HIGHER MILEAGE AND RUGGED AGGREGATES FOR HIGHER UPTIME



LOWEST LIFE CYCLE COST FROM DAY 1



HIGHEST LIFETIME VALUE



MAHINDRA BS6 AFTER TREATMENT SYSTEM.
LOWER AdBlue CONSUMPTION MEANS HIGHER EARNINGS.

BLAZO X 28 BS6 TIPPER

BUILT FOR EXTRA MILEAGE. BUILT FOR ALL CONSTRUCTION NEEDS.

- Next-Gen features and improved cabin for better productivity



PERFECT FOR



SPECIFICATION	BLAZO X 28 TIPPER BS6
GVW	28000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	4250 mm
Gear Box	Eaton 9 Speed
Clutch (Diameter)	395 mm Diaphragm type Single plate dry type
Gradeability	56.70%
Suspension - Front	Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Inverted leaf Bogie Suspension
Rear Axle	Tandem Banjo Type Single Reduction
Tyres	STD : 11x20-16PR (Nylon tyre), 11x20-18PR (Mining tyre) 295/ 95D20 + 10x20 (Mixed)
Fuel Tank Capacity	260 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Cabin	Day Cabin (AC Optional)
Max. Speed	60 km/h (Regulated)
Min. Ground Clearance	250 mm
Body Size (Cubic meter)	16 m³ Box Body, 20 m³ Box Body, 14 m³ Rock Body
Tipping Body Option	STD : HYVA Make Optional : Mahindra Make
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA) For 16 m³ Box Body only

BLAZO X 28 BS6 TRANSIT MIXER

EXTRA EFFICIENCY. SO YOU CAN SAVE ON FUEL.

- Next-Gen features and improved cabin for better productivity



SPECIFICATION	BLAZO X 28 TRANSIT MIXER BS6
GVW	28000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	4250 mm
Gear Box	Eaton 6 Speed
Clutch (Diameter)	395 mm Diaphragm type Single plate dry type
Suspension - Front	Semi Elliptical Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Tandem Banjo Type Single Reduction
Tyres	295/ 95D20 + 10 x 20 (Mixed)
Fuel Tank Capacity	260 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Cabin	Day Cabin (AC Optional)
Max. Speed	60 km/h (Regulated)
Min. Ground Clearance	250 mm
Configurations (Cubic meter)	CBC for transit mixer applications Fully Built Transit Mixer of Drum (7N2) Size 7 Cu. m (7.5 Cu. m)*
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)


BLAZO X 35 BS6 8X4 TIPPER

**DELIVERS EXTRA LOADS OF COAL.
DELIVERS EXTRA MILEAGE.**

- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATION	BLAZO X 35 8X4 TIPPER BS6
GVW	35000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	5330 mm
Gear Box	Eaton 9 Speed
Clutch (Diameter)	395 mm Diaphragm type
Gradeability	42.80%
Suspension - Front	Parabolic Leaf Spring with Shock Absorber
Suspension - Rear	Inverted leaf Bogie Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 11 x 20 16PR, 11R20 16PR
Fuel Tank Capacity	260 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Cabin	Day Cabin (AC Optional)
Max. Speed	60 km/h (Regulated)
Min. Ground Clearance	250 mm
Body Size (Cubic meter)	18 m³ Box Body, 22 m³ Box Body
Tipping Body Option	Mahindra Make
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



BLAZO X 42 BS6 TIPPER

**PERFECT FOR FUEL HIGHER ECONOMY.
PERFECT FOR EXTRA LOADS.
ESPECIALLY CEMENT TRANSPORTATION.**

- Lower TCD for better manoeuvrability
- Tag axle for increased tyre life
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATION	BLAZO X 42 TIPPER BS6
GVW	42000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	206 kW @ 2200 r/min
Max. Torque	1050 Nm @ 1200-1700 r/min
Wheelbase	6770 mm
Gear Box	6 Speed - Eaton ES9306A with PTO only
Clutch (Diameter)	395 mm Diaphragm with clutch wear indicator organic type
Gradeability	19.60%
Suspension - Front	Parabolic Leaf Spring with Shock Absorber
Suspension - Rear	Bell Crank Type Suspension
Rear Axle	Solo Banjo Type Single Reduction
Tyres	STD : 295/ 90R20 + 10R20
Fuel Tank Capacity	415 litre
AdBlue® Tank Capacity	50 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with Reinforcement
Steering	Hydraulic Power Assist Tilt & Telescopic
Brakes	Full Air S Cam Dual circuit ABS 10 BAR system
System Voltage	24 V (2X12)
Battery Rating	150 Ah
Cabin	Sleeper Cabin (AC Optional)
Max. Speed	80 km/h (Regulated)
Min. Ground Clearance	264 mm
Body Size	CBC
ATS System	BS6 Compliant ATS with DOC/ DPF + SCR/ ASC

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)



MORE SAFETY, MORE COMFORT, MORE TRIPS, MORE PROFITS.

Mahindra BLAZO X is one of the most comfortable truck in India. It's built with the knowledge that drivers are the actual wheels of Indian transport and they spend half their lives inside the cabin. Which is why this truck comes with a host of features to make every drive more safe and comfortable. Like the 4-point suspended cabin that truly enhances driving comfort. And the controls that are ergonomically located to reduce effort inside the cabin.



A WORLD-CLASS DRIVING EXPERIENCE



6-SPEED GEAR SHIFT


9-SPEED GEAR SHIFT

ANTI-LOCK BRAKING SYSTEM



COMFORTABLE SLEEPER BERTHS

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.



TILT & TELESCOPIC STEERING

DRIVER INFORMATION SYSTEM



COMFORTABLE 3-WAY ADJUSTABLE SEATS

TECHNOLOGY THAT MAKES BLAZO X THE FRONT-RUNNER.

RUGGED AND PROVEN AGGREGATES FOR THE MOST UNPREDICTABLE CONDITIONS.



LIFT AXLE WITHOUT FULL LOAD

BOGIE SUSPENSION

RADIAL TYRES, NYLON TYRES (standard)

LIFT AXLE WITH FULL LOAD



STRONGER CHASSIS FRAME

REFINED CLUTCH SYSTEM

EFFECTIVE BRAKING SYSTEM

BIGGER HDPE DIESEL TANK

HIGHER CAPACITY BATTERY



COMPOSITE HEADLAMPS



HIGHER SERIES PROPELLER SHAFT IN TIPPERS



HIGHER SERIES PROPELLER SHAFT IN HAULAGE



FRONT FACIA WITH WIDER GRILL

KEY FEATURES

100% RELIABILITY Mahindra iMAXX is backed by artificial intelligence so you get accurate results every day.

ZERO DATA LOSS It's equipped with a bigger battery and memory to store data. In addition, it also works on all generations - 4G, 3G and even 2G network.

PERSONALISATION As your business evolves, so does our technology to suit all your needs.

SMART REPORTS Gives analytical insights and reports regularly to monitor and grow your business.



OUR SERVICE GUARANTEES

GET BACK ON ROAD IN 48 HOURS OR GET ₹1,000 PER DAY.*

GET A 36-HOUR GUARANTEED TURNAROUND AT OUR WORKSHOPS OR GET ₹3,000 PER DAY.*



 <p>MAHINDRA AASHRAY MAKES EVERY MOMENT CAREFREE.</p>	 <p>Mahindra MCOVER Makes You Feel 3 Times More Secure.</p>
 <p>Pre-owned Commercial Vehicles</p> <ul style="list-style-type: none"> • UP TO 12 MONTHS WARRANTY* • 1/2/3 STAR RATINGS* • UP TO 3 FREE SERVICES* • ROADSIDE ASSISTANCE* • REFINANCE OPTIONS* 	

For details, please contact: 1800 200 3635

Corporate: contactmtb@mahindra.com | Customer Care: now24x7@mahindra.com | www.mahindratruckandbus.com | Mahindra & Mahindra Ltd., Truck and Bus Division, Marketing Division, 2nd Floor, Mahindra Towers, Worli, Mumbai 400 018. | SMS 'MTB' to 56767


now
1800-200-3600
020-27473600
24/7 VEHICLE ASSISTANCE BY EXPERTS
A MULTILINGUAL SERVICE

MOBILE SERVICE VANS & WORKSHOPS

COUNTRY-WIDE SPARES & SERVICE NETWORK

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.

DEALER STAMP



*For more details of this guarantee, visit www.mahindratruckandbus.com