



MOST FUEL EFFICIENT 6T PAYLOAD CARGO CARRIER







GET BACK ON THE ROAD IN 48 HOURS OR GET ₹1,000 PER DAY.*



GET A 36-HOUR GUARANTEED TURNAROUND AT OUR WORKSHOP OR GET ₹3,000 PER DAY.*

*Terms and Conditions apply. For details of this guarantee, please visit www.mahindratruckandbus.com

POWER OF TEN

The FURIO 10 is designed to make your business more efficient and profitable.

The FURIO 10 comes with super 10 features that leads to best-in-class performance, driving comfortability and ensures safety on every trip.



PROVEN MDI TECH ENGINE GREATER EFFICIENCY AND PERFORMANCE

Hydrolic Lash Adjuster - No Manual Tappet setting required
Automatic Belt Tensioner for hassle free maintenance



PROVEN GEAR BOX

MNT 55 6S, Neutral Start Switch Higher torque of 375 Nm Lesser Gear Shifts





ROBUST AGGREGATES

HSLA 550 Chassis - Greater stability Strong and durable rear axle



BEST-IN-CLASS MILEAGE
WITH FUELSMART
TECHNOLOGY








STANDARD RADIAL TYRES

For enhanced tyre life



BEST-IN-CLASS SAFETY

Widespread Fog Lamps for
Excellent Night Visibility
8 Bar Brake System - Better
control on Road
Safest Cabin - Best in Class
Survival Space
Neutral Safety Start Switch
Roof Luggage Carrier/
Aero Kit - Mounting Provision
185 L Plastic Fuel Tank
Wire Mesh at Fuel Tank Neck





BEST-IN-CLASS COMFORT

Front Parabolic Suspensions
Lower NVH levels - Reduces driver's fatigue
Ergonomically designed cabin
Superior Ventilation - 8 nos. of Vents
Lounging arrangement (Co-Driver Side)
Centre Seat cum Storage
Lower rake angles - 5 degree cooler
than ordinary cabins





BEST-IN-CLASS LOADING SPAN

Higher loading areas of 11.38 sq. m. Higher load body length of 17.5 sq. m. Robust structure with HSLA 350 panel material



LOWER TCD OF 14.9M

Best fit for all Intracity applications





SPECIFICATIONS

GVW (kgs)	10350	
Engine	mDi Tech, 4 Cylinder BSVI OBD2 3.5L Engine	
	with Fuelsmart Switch - 2 Multomodes : Empty & Load	
Power	Power: 91.5KW @ 2500 rpm	
Torque	375 Nm 1300 - 2000 rpm	
Transmission	MNT 55 with Neutral Start Switch	
	6F + 1R, Cable Shift	
Clutch	Single Plate Dry Push Type with Clutch Booster	
	Dia. 330 mm, B8090 LUK Liner	
Gradeability	29.40%	
Chassis	HSLA 550 Material	
	210 x 65 x 5 mm	
Suspension	Front: Parabolic Leaf spring	
	Rear: Semi elliptic leaf spring	
Steering	Hydraulic power assisted, Tilt & Telescopic (430 mm)	
Ground Clearance (mm)	220	
Fuel Tank (ltr)	185L - Plastic tank	
Ad Blue Tank (ltr)	13L	
Brakes	Air Brakes Drum (325 x 140)	
Tyre Size	8.25R16 LT 16PR - STD Radial Tyres	
Cabin	2.05m Day Cabin	
Wheelbase (mm)	3450	4000
TCD (m)	12.9	14.9
Cargo Body Dimension (mm)	4274	5334
Cargo Body Width (mm)	2135	

APPLICATION




























VEHICLE HEALTH MONITORING







Engine Temperature

Check





DRIVING BEHAVIOUR MONITORING









Neutral Driving and Gear Utilisation

Hard Braking and Harsh Acceleration Overspeeding

FUEL AND ADBLUE ANALYSIS



Fuel Economy Analysis



Fuel Filling and Theft Monitoring



AdBlue AUS32 Monitoring



FuelSmart Switches Usage Analysis

OPERATIONS AUTOMATION



Vehicle Utilisation Reports







Reports









MAHINDRA AASHRAY MAKES EVERY MOMENT CAREFREE.



Mahindra MCOVER Makes You Feel 3 Times More Secure.



Mahindra brings you MTRUST, the best way to buy used Mahindra trucks. We put each vehicle through 166 tough health checks. Refurbish with only Mahindra spares. All to give you trucks that are as good as new and outperform right from the start.

• UP TO 12 MONTHS WARRANTY • 1/2/3 STAR RATINGS • UP TO 3 FREE SERVICES • ROADSIDE ASSISTANCE • REFINANCE OPTIONS



Corporate: contactmtb@mahindra.com Customer Care: now24X7@mahindra.com



www.mahindratruckandbus.com



Mahindra and Mahindra Ltd. Truck and Bus Division, Marketing Division, Mahindra Tower, 5th Floor, Wing 4, Chakan Industrial Area, Phase IV, Post - Nighoje, Chakan Tal Khed, District Pune - 410 501

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.











DEALER STAMP

